

Z/037/63/000/002/004/004
E073/E335

AUTHOR: Kunzlová, Ivana

TITLE: Preparation of non-hydrolyzed NaCl and KCl crystals
by drawing from the melt

PERIODICAL: Československý časopis pro fyziku, no. 2, 1963,
137 - 140

TEXT: Stockbarger (Disc. Far. Soc. 5, 1949, 299) suppressed hydrolysis of LiF and CaF₂ crystals by growing them in vacuum using the method of lowering the crucible. The author of this paper grew crystals by drawing from the melt, using the same method and similar apparatus to that employed by Fukuda, Okuda and Uchida (J. App. Phys. Japan 27, 1958, 535) for growing LiF crystals. A description is given of the equipment and its operation. NaCl and KCl crystals of up to 3 cm diameter were grown both in vacuum (5 mm Hg residual pressure) and under argon. pH measurements of their aqueous solutions as well as luminescence and emission tests did not reveal hydrolysis. The described method is simple and, with small modifications, the apparatus can be used for growing larger crystals. Compared with the method of

Card 1/2

Preparation of

Z/037/63/000/002/004/004
E073/E335

lowering the crucible, this method has the distinct advantage that, during the process of growth, the crystal can be observed and, if necessary, influenced. There is 1 figure.

ASSOCIATION: Ústav fyziky pevných látek ČSAV, Praha
(Institute of Solid State Physics,
CSAV, Prague)

SUBMITTED: March 2, 1962

Card 2/2

BOHUN, A.; DOLEJSI, J.; HUML, K.; KANTUREK, J.; KUNZLOVA, L.; LEBL, M.;
TRNKA, J.

Optical and electric occurrences in sodium chloride crystals
activated with copper. Chekhosl fiz zhurnal 13 no.3:211-215
'63.

1. Ustav fyziky pevných látok, Československá akademie věd, Praha.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6

KUNENETSOV, I.V.

Boring blastholes with compressed-air drills with nozzles.
Trudy IGD (Sverd.) no.8:93-99 '64.

(MIRA 17:10)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6"

KUNZVART, Milos

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: /not given/

Affiliation: /not given/

Source: Prague, Vestnik pro Mineralogii a Geologii, Vol VI, No 2, 1961,
pp 187-196.

Data: "Geology of the Republic of Congo."

6PO 981643

KUOCZOGI, Endre, fomernok

Methods for measuring circular impedance. Villamossag 9 no.9:
257-260 S '61.

1. Orsagos Villamosenergiai Felugyelet.

YUOSA, T. A.

YUOSA, T. A.: "Black Lithuanian cattle and their cultivation in the southern portion of the Lithuanian SSR." Min Higher Education USSR. Lithuania Agricultural Academy. Inst of Animal Husbandry and Veterinary Medicine, Min Agriculture Lithuania SSR. Vilnius, 1956. (Dissertation for the Degree of Candidate in Agricultural Science.)

Knizhnaya lotopis', No. 30, 1956. Moscow.

KUOSAITE, B.A.

Regeneration of the mammary gland in guinea pigs. Biul. eksn.
biol. i med. 60 no.11:106-109 N '65. (MIRA 19:1)

1. Laboratoriya fiziologii zhivotnykh (zav. - doktor biol. nauk
G.A. TSakhayev) Instituta zoologii i parazitologii AN Litovskoy
SSR, Vil'nyus. Submitted February 8, 1965.

KUOSAYTE, B. A., CAND BIO SCI, "EFFECT OF THE FUNCTIONAL
STATE OF THE THYROID GLAND ON THE HISTOPHYSIOLOGICAL ^{upon} ~~CHAR~~-
^{changes} CHARACTERISTICS OF THE MAMMARY GLAND OF GUINEA PIGS." VIL'-
NYUS, 1960. (ACAD SCI LISSR, INST OF EXPERIMENTAL MEDICINE).
(KL, 3-61, 210).

140

KAZILIUNAS, Romualdas; KUOSAITE, R., red.; PAKERYTE, O., tekhn.
red.

[Fuel gases and their use] Degiosios dujos ir ju panaudo-
jimas. Vilnius, Valstybine ir mokslines literaturos
leidykla, 1962. 199 p. (MIRA 16:12)
(Gas industry)

KUOSMAN, Vil'yam Vil'yamovich; POLISHCHUK, Anatoliy Pavlovich; GILEV, N.Kh.,
red.; PITERMAN, Ye.L., red. idz-va; SHITS, V.P., tekhn. red.

[Universal chain saws] Universal'nye pil'nye tsepi. Moskva, Gos-
lesbumizdat, 1957. 42 p. (MIRA 11:?)
(Chain saws)

KUOSMAN, V.V.; POLISHCHUK, A.P.

TsNIIME-K6 electric saw. Les.prom. 35 no.4:13-14 Ap '57.
(MLRA 10:5)

1. TSentral'nyy nauchno-issledovatel'skiy institut mekhanizatsii
i energetiki.

(Saws)

KUOSMAN, Vil'yan Vil'yamovich, POLISHCHUK, Anatolij Pavlovich, NADBAKH, M.P.,
red.; NIKOLAYEVA, I.J., red.; SHITS, V.P., tekhn.red.

[TsNIIME-K6 electric chain saw] Elektromotonaia pila TsNIIME-K6.
Moskva, Goslesbunizdat, 1958. 53 p.
(Chain saws)

BRENNER, Ferenc, dr.; KUP, Gyula, dr.; VACZY, Laszlo, dr.

Huperacute hemolytic anemia with extensive hemoglobinemia related
to septic abortion caused by Clostridium welchii. Magy. noorv.
lap. 26 no.3:148-152 My '63.

1. Sopron Varosi Tanacs Korhaz Szuleszeti Osztalyanak, Verellato
Allomasanak es Korbonctani Osztalyanak kozlemenye. (Igazgato: Eper
Tivadar dr.).
(CLOSTRIDIUM PERFRINGENS) (ABORTION, SEPTIC) (HEMOGLOBINS)
(HEMOGLOBINURIA) (ANEMIA, HEMOLYTIC)

KUPA, Frantisek, inz.; ZLATOHLAVEK, Frantisek

Forging of links for flying shears of blooming mills. Hut listy 17
no. 12: 853-356 D '62.

1. Vítkovické závody Klementa Gottwalda, Ostrava.

Z/032/61/011/003/002/005
E073/E335

AUTHOR: Kupa, J.

TITLE: High-pressure Feed Pumps

PERIODICAL: Strojírenství, 1961, Vol. 11, No. 3,
pp. 224 - 230

TEXT: The author deals with the demands to be met by single-stage and two-stage feed pumps for pressures up to 200 atm. and with two-stage feed pumps for pressures in excess of 200 atm. for use in power stations, discussing design problems and giving some information on pumps produced by the Sigma Works, Olomouc, with deliveries of up to 600 t/h. A plot, Fig. 1, shows the dependence of the input part of a feed pump (in % of the power of the turbogenerator) as a function of the admission steam pressure, at.abs. Curve A is based on data of Karasik (Ref. 1 - Rudolf: Research Report VÚTT 57 - 04035.3); Curve B has been calculated on the basis of a Mollier diagram for the following steam parameters:
1 at.abs. to 10 at.abs. (wet steam), 10 at.abs. to 20 at.abs.
(steam superheated to 350 °C), 20 at.ab. to 50 at.abs. (steam superheated to 450 °C), 50at.abs. to 200 at.abs. (steam

Card 17/10

✓
—

Z/032/61/011/003/002/005

E573/E335

High-pressure Feed Pumps

superheated to 500 °C), condenser pressure 0.1 at.abs. Sigma produces series CC_n and CC_v pumps. Series CC_n is designed for maximum pressures of 120 atm. and CC_v for operating pressures of 200 atm; both pumps are designed for water temperatures up to 220 °C. Series CC_n has an operating range between 38 and 380 m³/h. Series CC_v has an operating range from 100 - 600 m³/h and the normal speed is 3 000 r.p.m. Fig. 2 shows a cross-sectional drawing of a pump of the CC_v series. The impellers are made of cast alloy steel containing 14-15% Cr. Fig. 4 shows a pump of special design, type 50-KHE, intended for a mobile "power-station train". It was important to reduce the dimensions of this to a minimum: delivery Q = 20 t/h for a pressure of H = 542 m of water col.; feedwater temperature 105 °C; n = 6 700 r.p.m. Fig. 5 shows an enclosed feed pump, type CC_k 125/12; the entire

Card 2/10

Z/032/61/011/003/002/005
E073/E335

High-pressure Feed Pumps

stator is built into a massive cast-steel housing so that the necessity for using long bolts is eliminated; this design enables starting from the cold state and it permits certain temperature variations in the feedwater. For pressures above 200 - 250 atm., the author considers it preferable to use two pump stages with a driving motor in the middle. The high-pressure side can also be driven at a higher speed using, for instance, a hydraulic coupling. The influence of the hydraulic coupling on the efficiency is analysed. The author also investigated the effect of the feedwater temperature fluctuations, the effect of excessively low flow rates and the means of preventing steam generation in the impeller. In the case of pumping from an open vessel which is at atmospheric pressure the static suction height at the cavitation limit is given by the equation:

$$H_{gs} = H_a - H_p - \Delta h_{cr} - h_{loss} \quad (6)$$

(all units in m of water column),

Card 3/10

Z/032/61/011/003/002/005
E073/E335

High-pressure Feed Pumps

where H_a - atmospheric pressure,
 H_p - vapour tension of the saturated steam,
 Δh_{cr} - necessary minimum total pressure on the suction side above the pressure of the saturated vapours at the cavitation limit,
 h_{loss} - resistance in the piping.

Feed pumps deliver into closed vessels and for these the pressure H_a has to be substituted by the pressure that exists at the level where pumping is done. This usually equals the pressure at the given temperature and as a result of this the above equation can be written as follows:

$$-H_{gs} = \Delta h_{cr} + h_{loss} \quad (7)$$

which means that the pump must have a negative suction height $h \geq -H_{gs}$ and if pumping is to take place, then:

Card 4/10

Z/032/61/011/003/002/005
E073/E335

High-pressure Feed Pumps

$$h \geq \Delta h_{cr} + h_{loss} \quad (8)$$

The values of Δh_{cr} depend mainly on the delivery rate, on the r.p.m. and on the solution of the inlet part of the impeller. It can be determined most reliably on the test bench by so-called cavitation tests. The calculation derived by Panuška (Ref. 3 - Numerical Determination of the Suction Performance from the Impeller Dimensions Lecture) gives reliable results which have been verified by numerous practical tests.

He proposed the following formula:

$$\Delta h_{cr} = \frac{u_1 c_{ml}}{2g} + \frac{c_{ml}}{2g} \quad (9)$$

where u_1 is the circumferential speed at the inflow edge of the blading, m/s,
 c_{ml} is the real meridional speed at the inlet side of the impeller, m/s.

Card-5/10

Z/032/61/011/003/002/005
E073/E335

High-pressure Feed Pumps

This equation can be used in the range of optimum efficiency. Although Δh_{cr} does not depend on the specific weight of the feedwater, the temperature of the feedwater cannot be disregarded. In order to have a sufficient reserve it is necessary that:

$$h = \Delta h_{cr} (1.15 \text{ to } 1.2) \Delta h_{loss} .$$

There are 10 figures and 4 references: 3 Czech and 1 non-Czech.

ASSOCIATION: Sigma Olomouc, n.p., závod Lutín
(Sigma Olomouc, Lutin Plant)

Card 6/10

KUPA, J.

Feed pump control by a hydraulic clutch. Strojirenstvi
14 no. 3: 163-168 Mr '64.

1. Sigma Olomouc.

KUPA, V. (Odessa); GRIGOR'YEV, I. (Odessa)

Key to knowledge. Grazhd. av. 22 no.12:6-7 D '65.

(MIRA 18:12)

1. Rukovoditel' filiala ekonomiceskogo fakul'teta pri vechernem universitete marksizma-leninizma v Odesskom aeroportu (for Grigor'yev).

KUPA,V.V., inzhener

Preparation of K-17 glue using oxalic acid in powder form instead
of a water solution. Der.prom.4 no.8:26 Ag '55. (MIRA 8:10)

1. Zaveduyushchiy laboratoriye arteli "Volya"
(Glue)

KUTAKOV, N. YE.

Technology

(Gas management in metallurgical plants). Moskva, Metallurgizdat, 1951.

Monthly List of Russian Accessions, Library of Congress, November 1952. Unclassified.

KESĀNS, A.; KUTAKS, Ye.

Barium hexaborate. Kim. Inst. Zinātnisk. Raksti, Latvijas PSR Zinātņu Akad. 1, 62-67 '50.
(CA 47 no.19:9835 '53)

1. KESANS, A. : KUPAKS, V. : VIMBA, S.
2. USSR (600)
4. Barium perborate
7. Barium perborate. Latv. PSR Zin. Akad Vestis 3, 1951

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

SOV/84-58-10-8/54

AUTHOR: Kupalo, V.

TITLE: New Crews Go in Service (Vvodim v stroy novyye ekipazhi)

PERIODICAL: Gражданская авиация, 1958, Nr 10, p 6 (USSR)

ABSTRACT: The author reports that the personnel of his unit has serviced three regular air routes on the Moscow-Novosibirsk run since the spring of 1958, overfulfilling the plan for 8 months. New crews are now being added to the unit.

Card 1/1

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6

KUPALO, V. (Novosibirsk)

Love at first sight. Grazhd.av. 18 no.10:15 0 '61. (MIRA 15:5)
(Jet planes)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6"

KUPALOVA, I.K.

Effect of cobalt on the structure and properties of high speed steel.
Metalloved. i term. obr. met. no.9:49-53 S '65.

(MIRA 18:10)

1. Vsesovuznyy nauchno-issledovatel'skiy instrumental'nyy institut.

KUPALOV, P.A.

Localization of functions in the animal brain in relation
to the analysis of conditioned reflex activity. Zhur. nevr.
i psikh. 64 no.1:18-26 '64. (MIRA 17:5)

1. Institut eksperimental'noy meditsiny AMN SSSR, Leningrad.

BIRYUKOV, Dmitriy Andreyevich, prof., otv. red.; GOLIKOV, N.V., red.;
ZIMKIN, N.V., red.; KARAMYAN, A.I., red.; KUPALOV, P.S., red.;
LAPINA, I.A., red.; VASIL'YEVA, Z.A., red.; KHARASH, G.A., tekhn.
red.

[Problems of the physiology and pathology of higher nervous activity]
Problemy fiziologii i patologii vysshei nervnoi deiatel'nosti.
Pod obshchei red. D.A.Biryukova. Leningrad, Medgiz. No.2. 1963.
192 p. (MIRA 16:12)

1. Akademiya meditsinskikh nauk SSSR, Moscow. 2. Deystvitel'nyy
chlen AMN SSSR (for Biryukov).
(NERVOUS SYSTEM)

1967*

KUPALOV, P.S. [deceased]; LAPINA, I.A.

Content of sialic acid in lacrimal and salivary secretions in
dogs during conditioned and unconditioned stimulations. Zhur.
vys. nerv. deiat. 15 no.2:311-317 Mr-Ap '65.

(MIRA 18:5)

1. Fiziologicheskiy otdel imeni I.P. Pavlova Instituta eksperi-
mental'noy meditsiny AMN SSSR, Leningrad.

All 1964 deceased Believs

KUPALOV-YAROPCL, I., referent.

Determining elevations at automobile speeds (From: Oil and Gas Journal Ap 1947). Novneft.tekh.:Geol. no.4:7 '48. (MLRA 9:5)
(Altitudes--Measurement)

1. KUPALOV-YAROPOLK, I.K.

2. USSR (600)

"The Practice of Employing Elongate Hodographs of Reflected Waves." Prikladnaya
geofizika, Issue 4, 1948 (109-117)

9. Meteorologiya i Gidrologiya, No. 3, 1949.
████ Report U-2551, 30 Oct 52.

KUPALOV-YAROPOLK, I.K.

REZNIK, A.M. (brigadir), AREST, V.I., BLOKH, I.M., KIKOOF, Yu.A.,
ZAGARMISTR, A.M., KUPALOV-YAROPOLK, I.K., PETROV, L.V., TYABIN, V.Ye.,
FEDORENKO, A.N., sostaviteli; DYUKOV, A.I., KLESHCHEV, A.I., redaktory.

[All-Union unified norms for geophysical field work] Vsesoiuznye
edinye normy vyrabotki na polevye geograficheskie raboty. [Sostavili:
Reznik A.M. i dr. Redaktory: A.I.Dyukov, A.I.Kleshchev] Mo-
skva, Gos. nauchno-tekhn. izd-vo neftianoi i gorno-toplivnoi lit-ry,
1951. 146 p.
(MLRA 7:4)
(Geophysics)

KUPALOV-YAROPOLK

Sep/Oct 53

USSR/Geophysics - Prospecting
"Review of Symposium 'Prospecting and Industrial
Geophysics,'" (A. G. Ivanov, reviewer)

Iz Ak Nauk SSSR, Ser Geofiz, No 5, pp 474-476

Favorably reviews the symposium, edited by V. V. Fedynskiy, entitled "Razvedochchnaya i promyshlennaya geofizika," No 4, Min Petroi i gloyaia geofizika, No 4, Min Petroi i gloyaia geofizika, Moscow, 1952, 600 copies, price 1.50 rubles. Contributors were: I. K. Kupalov-Yaropolk, G. V. Bereza, A. I. Slutskovskiy, B. S. Temkina, P. I. Lukavchenko,

267T82

O. A. Shvank, N. A. Per'kov, S. G. Komarov,
I. Ye. Bydman, L. M. Yesel'son, and E. E.
Fotisdi.

FD-1795

USSR/Geophysics - Seismic prospecting
Kupalov-Yaropol'skij.
Card 1/1 Pub 45-17/18

Author : Kupalov, I.

Title : Methodological conference on seismic prospecting on the Russian platform

Periodical : Izv. AN SSSR, Ser. geofiz. 290-293, May-Jun 1955

Abstract : From 11 to 15 January 1955 in Saratov was held a conference of seismic prospectors who operate within the limits of the Russian platform, which was called by the "Main Oil Geophysics" of the Ministry of Petroleum Industry. Participants were members of Geophysical Institute, Leningrad, Moscow, and Saratov State Universities, and oil-gas organizations in Saratovskaya Oblast'. Reports were heard from the Scientific-Research Institute of Geophysical Methods of Prospecting on procedural methods. Heard were: I. S. Berzon (Dr. Phys. -Math. Sci.; Geophysical Institute); Ye. I. Gal'perin; K. I. Ogurtsov and A. P. Volin (Leningrad State Univ.); A. M. Yerpat'yev (Cand. Phys. -Math. Sci.; Geophysical Institute).

Institution: --

Submitted : --

KUZNETSOVA, N.P.; KUPALOV-YAROPOLK, I.K.

Interpretation of seismic data in the Ural-Emba petroleum-bearing
region. Razved.i prem.geofiz. no.13:16-27 '55. (MLRA 9:?)
(Ural Valley--Prospecting--Geophysical methods) (Emba Valley--
Prospecting--Geophysical methods)

KUPALOW-JAROPOLK, I.

Poland/Physics of the Earth - Geophysical Prospecting, 0-5

Abst Journal: Referat Zhur - Fizika, No 12, 1956, 36443

Author: Kupalow-Jaropolk, I.

Institution: None

Title: Conference on Methods of Seismic Prospecting of the Russian Platform

Original Periodical: Przegl. geol., 1956, No 1, 28-39; Polish

Abstract: Report on a methods conference on seismic prospecting (see Referat Zhur - Fizika, 1956, 27612).

Card 1/1

KUPALOV-YAROPOLK, I. K.

15-57-4-5270

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 4,
p 169 (USSR)

AUTHOR: Kupalov-Yaropolk, I. K.

TITLE: Geophysical Method of Prospecting for Oil in Foreign Countries (Selected From Foreign Literature) (Geofizicheskiye metody razvedki na neft' za rubezhom)

PERIODICAL: Prikl. geofizika, Nr 14, 1956, pp 214-233.

ABSTRACT: In foreign countries, seismic, gravimetric, and magnetic methods are most widely used; electrical methods are hardly used at all. Magnetic methods are used for reconnaissance surveys conducted from an airplane with a high-sensitivity T-magnetometer. The observations are made along a system of parallel profiles separated by 1.5 km to 2.0 km. Data from magnetic surveys are generally interpreted in conjunction with gravimetric studies. Gravimetric prospecting is effected by gravimeters that have a precision of measurement of 0.1 to 0.01 mgal. For detailed surveys, in order to secure a precision of

Card 1/2

15-57-4-5270

Geophysical Method of Prospecting for Oil (Cont.)

determination on the order of 0.01 to 0.02 mgal, the null point on the gravimeter is verified every two hours, and from the calculations obtained in this process the effect of solar and lunar tides is eliminated. New procedures of interpretation have been developed; these related to the second derivative of the vertical component of gravity and to the construction of maps of dG/dz . Reflection methods are the most widely used for the seismic techniques. Observations are made along a system of continuous profiles with one shot point. More complex techniques of shooting are also used. Multiple explosions are used and the geophones are grouped with a number of seismographs arranged in groups from 5 to 48 to record the oscillations on a magnetic tape. The author describes briefly the application in foreign countries of techniques for treating field seismic data, methods of making seismic logs and of conducting marine seismic surveys, and the peculiar problems of doing seismic work under severe climatic conditions.

V. M. G.

Card 2/2

PHASE I BOOK EXPLOITATION 812

Kupalov-Yaropolk, Igor' Konstantinovich

Vzryvnyye raboty pri seysmicheskoy razvedke (Blasting Operations in Seismic Prospecting) Moscow, Gostoptekhizdat, 1958. 145 p.
. 2,500 copies printed.

Ed.: Dobrynina, N. P.; Tech. Ed.: Mukhina, E. A.

PURPOSE: This is a manual for technicians conducting blasting operations in seismic exploration.

COVERAGE: In discussing the subject of blasting as applied to seismic prospecting the author provides background information on geology and geophysical exploration methods and supplies detailed

Card 1/4

Blasting Operations in Seismic Prospecting 812

information on explosives, their properties, use, storage, transportation, inventory, and disposal. Operational organization, the establishment of work norms and wages are also described. The Appendix contains 5 sample forms for keeping a record of materials and operations. The text is accompanied by 32 diagrams, some of them photographs of equipment. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Introduction	3
Ch. 1, General Information on Geology and Oil Bearing Formations	4
Ch. 2., Geophysical Exploration Methods	12
Seismic exploration equipment	21
Principles of field operations	25

Card 2/4

Blasting Operations in Seismic Prospecting	812
Ch. 3. General Information on Explosives	29
Ch. 4. Explosives, Their Properties and Uses	37
Primary or initiating explosives	37
Brisant explosives	39
Smokeless powders	47
Explosion process in a medium	51
Minimum safe distances	55
Ch. 5. Detonating Equipment	57
Testing explosive materials	63
Ch. 6. Blasting Operations Equipment	66
Ch. 7. Transportation of Explosives	80
Ch. 8. Storage, Inventory, and Disposal of Explosives	85
Storage facilities	87
Inventory of incoming and outgoing material	91
Disposal (destruction) of explosives	92
Card 3/4	

Blasting Operations in Seismic Prospecting	812
Ch. 9. General Rules for Conducting Surface Blasting Operations	94
Ch. 10. Blasting Methods and Techniques	100
Ch. 11. Organizing Work of the Seismic Exploration Party	106
Ch. 12. Seismic Observation Methods for Different Types of Exploration and Types of Blasting Operations	122
Ch. 13. Organization of Operations, Work Norms and Wages	135
Appendix	141

AVAILABLE: Library of Congress (TN269.K77)

MM/wlh
12-9-58

Card 4/4

KUPALOV-YAROPOLK, I. K.

SERGEYEV, A.A., red.; ANPILOGOV, I.M., red.; ASSONOV, V.A., red.; BABAYANTS, H.A., red.; BABOKIN, I.A., red.; BALAMUTOV, A.D., red.; BOGORODSKIY, N.N., red.; BOLONENKO, D.N., red.; BUCHNEV, V.K., red.; VAKHMINTEV, G.S., red.; VORONKOV, A.K., red.; GARKALENKO, K.I., red.; GORBATOV, P.Ye., red.; GOLOVLEV, V.Ya., red.; DOKUCHAYEV, M.M., red.; DUBNOV, L.V., red.; YEVTEYEV, A.D., red.; YEREMENKO, Ye.K., red.; ZENIN, N.I., red.; KRIVONOGOV, K.K., red.; KUPALOV-YAROPOLK, I.K., red.; MATSYUK, V.G., red.; NIKOLAYEV, S.I., red.; ONISHCHUK, K.N., red.; PETROV, K.P., red.; PILYUGIN, B.A., red.; PLATONOVA, A.A., red.; POLESIN, Ya.L., red.; POKROVSKIY, L.A., red.; POMETUN, D.Ye., red.; POLYUSHKIN, A.Kh., red.; REYKHER, V.P., red.; SEDOV, N.A., red.; SIDORENKO, I.T., red.; FIDELEV, A.A., red.; CHAKHMAKHCHEV, A.G., red.; CHEMODOUROV, M.Ya., red.; SHUMAKOV, A.A., red.; YAREMENKO, N.Ye., red.; PARTSEVSKIY, V.N., red.izd-va; ATTOPOVICH, M.K., tekhn.red.

[Standard safety regulations for blasting operations] Edinyye pravila bezopasnosti pri vzryvnykh rabotakh. Izd.2. Moskva, Gos. nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1958. 318 p.

(MIRA 13:1)

1. Russia (1923- U.S.S.R.) Komitet po nadzoru za bezopasnym vedeniyem rabot v promyshlennosti i gornomu nadzoru.
(Mining engineering--Safety measures)

KUPALOV-YAROPOLK, I.K.

Geophysical prospecting method for solving engineering problems
in offshore operations. Razved. i prom. geofiz. no.22:98-112 '58.
(MIRA 11:8)

(Prospecting--Geophysical methods) (Oil well drilling, Submarine)

SOV-132-58-9-14/18

AUTHORS: Shirokov, A.S.; Kupalov Yaropolk, I.K., and Komarov, I.S.

TITLE: The XXII Congress of the German Geophysical Society (XXII
S"yezd Germanskogo geofizicheskogo obshchestva)

PERIODICAL: Razvedka i okhrana nedr, 1958,¹³ Nr 9, pp 52-54 (USSR)

ABSTRACT: The above mentioned conference took place in Leipzig in May
1958. The authors, who represented the USSR, give a report
on the activities of the conference.

ASSOCIATIONS: 1) Ministerstvo geologii i okhrany nedr SSSR (Ministry of
Geology and Conservation of Mineral Resources of the USSR)
2) Gosplan SSSR (Gosplan of the USSR)
3) VNII-geofizika (VNII - Geophysics).

1. Geophysics--Germany

Card 1/1

3(8)

SOV, 9-59-2-15/16

AUTHORS: Alekseyev, F., Kupalov-Yaropolk, I., and Lyapunova, N.

TITLE: A Formal Approach to Problems on the Efficiency of Geophysical Prospecting for Oil and Gas (Formal'nyy podkhod k voprosam effektivnosti geofizicheskikh rabot na neft' i gaz)

PERIODICAL: Geologiya nefti i gaza, 1959, Nr 2, pp 68-71 (USSR)

ABSTRACT: This is a critical review of a book by P.T. Kozlov named "The Development of Geophysical Prospecting Methods in USSR Oil Industry", published by the GOSINTI Publishing House in 1957.

Card 1/1

KUPALOV-YAROPOLK, I.K.

Geophysical methods used in oil prospecting in foreign countries.
Geol. nefti i gaza 3 no.9:58-61 S '59. (MIRA 13:1)
(Prospecting--Geophysical methods)

KUPALOV-YAROPOLK, I.K.

Use of geophysical methods of oil prospecting in Asiatic countries.
Geol. nefti i gaza 4 no.8;52-56 Ag '60. (MIRA 13:8)
(Asia--Prospecting--Geophysical methods)

KUPALOV-YAROPOLK, I.K.[translator]; PETUKHOV, A.S., red.

[Collected translations; novelties in geophysical instrument design] Sbornik perevodov; novinki geofizicheskogo priborostroeniiia. Moskva, 1962. 23 p. (MIRA 17:4)

1. Moscow. Institut tekhnicheskoy informatsii i ekonomiceskikh issledovaniy po neftyanoy i gazovoy promyshlennosti.

KUPALOV-YAROPOLK, I.K.

Drilling blastholes for seismic prospecting abroad. Razved. i prom.
geofiz. no.46:34-44 '62. (MIRA 16:3)
(Boring)

KUPALOV-YAROPOLK, Igor' Konstantinovich; PETUKHOV, Aleksandr
Sergeyevich; KUZ'MINA, N.I., ved. red.

[English-Russian geological and geophysical dictionary]
Anglo-russkii geologo-geofizicheskii slovar'. Moskva,
(MIRA 18:1)
Nedra, 1964. 530 p.

ACC NR: AM6033432

(A)

Monograph

UR/

Lovlya, Sergey Aleksandrovich; Kaplan, Berta L'vovna; Mayorov, Viktor Vasil'yevich; Kupalov-YAropolk, Igor' Konstantinovich

Blasting; blasting operations in prospecting geophysics (Vzryvnoye delo; vzryvnyye raboty v razvedochnoy geofizike) Moscow, Izd-vo "Nedra," 1966. 204 p. illus., biblio. Errata slip inserted. 4500 copies printed. Textbook for students of geophysics at petroleum institutes.

TOPIC TAGS: geophysics, geophysical prospecting, blasting operation, shock wave

PURPOSE AND COVERAGE: This book is intended for students of geophysical institutes for studies of oil exploration; it may also be useful to engineers-geophysicists. The authors outline the fundamental principles of the theory of explosive materials and of the effect of explosions in a medium. The blasting methods used in seismic prospecting are analyzed and the techniques of operations and the explosives used are described. The authors also describe methods and apparatus for the use of explosives in eliminating borehole stoppages and the removal of strata.

Card 1/2

UDC: 622.235(071.1)

ACC NR: AM6033432

TABLE OF CONTENTS [abridged]:

Foreword -- 3

Introduction -- 4

Ch. I. The theory of explosives -- 7

Ch. II. Explosive materials and the blasting techniques -- 49

Ch. III. Shock waves and the effects of blasting in various media -- 67

Ch. IV. Basic parameters determining the seismic efficiency of
the blast -- 107

Ch. V. Technique of blasting in seismic prospecting -- 139

Ch. VI. Blasting operations in deep boreholes -- 161

Ch. VII. Technique of safety in conducting blasting operations -- 191

Bibliography -- 204

SUB CODE: 08, 11/ SUBM DATE: 05May66/ ORIG REF: 008/

Card 2/2

KUPALOV-YAROPOLK, K. K.

Kupalov-yaropolk, K. K. "Automatic welding in the production of metallic structures (Experience of the Main Steel Structure Administration of the Ministry of Heavy Industrial Plant Construction)", Trudy Vsesoyuz. konf-tsii po avtomat. svarke pod flyusom, 3-6 October 1947, Kiev, 1948, p. 26-28.

SG: U-3261, 10 April 53, (Letopis 'Zhurnal 'nykh Statey, No. 11, 1949).

66238

SOV/126-8-3-23/33

18.11.41
AUTHORS: Al'tgauzen, O.N. and Kupalova, I.K.

TITLE: Temperature Dependence of the Magnetic Properties of
the Alloy Yul6 (Alfenol)

PERIODICAL: Fizika metallov i metallovedeniye, 1959, Vol 8, Nr 3,
pp 459-461 (USSR)

ABSTRACT: In the present work the result of a study of
magnetization curves of the alloy Yul6 at temperatures
between -78 and 300°C are given. The iron-aluminium
alloy Yul6 with an aluminium content of 16 wt % is a
magnetically soft material. The experimental alloy was
made in a high frequency furnace, subjected to hot,
followed by warm, rolling down to a thickness of 0.35 mm.
From the strip obtained rings were stamped out which were
then put together in packets and heat treated. The
magnetic measurements were taken by a ballistic method.
In Fig 1 to 3 and in the table on p 459, the magnetic
properties of this alloy at various temperatures are
indicated. The magnetic properties of the alloy depend
essentially on temperature. On cooling to -78°C and
heating to 200°C, the maximum permeability in both cases
decreases practically reversibly and on heating to

Card 1/3

66238

SOV/126-8-3-23/33

Temperature Dependence of the Magnetic Properties of the Alloy Yu16
(Alfenol)

255 to 300°C and subsequent cooling, the change is irreversible - the maximum permeability does not attain the original value. The coercive force remains practically unchanged in the temperature range of -78 to 200°C and at higher temperatures it increases irreversibly. The irreversible change in magnetic properties appears to be associated with the commencement of a hardening process (Ref 3) and limits the possibility of its application at temperatures above 200°C. Some stabilization of properties can be obtained by changing the heat treatment (specimen Nr 2) in such a manner that partial hardening should occur during this process, which somewhat lowers the level of properties of the alloy but raises its temperature stability on heating to 100 to 200°C. There are 3 figures, 1 table and 3 references, 2 of which are Soviet and 1 Polish.

ASSOCIATION: Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii (Central Scientific Research Institute for

Card 2/3

H

66238

SOV/126-8-3-23/33

Temperature Dependence of the Magnetic Properties of the Alloy Yul6
(Alfenol)

Ferrous Metallurgy)

SUBMITTED: September 13, 1958

Card 3/3

14

S/126/62/014/004/007/017
E073/E535

AUTHOR: Kupalova, I.K.

TITLE: Study of the possibility of magnetic quality control
of the process of hardening and tempering of some tool
steels

PERIODICAL: Fizika metallov i metallovedeniye, v.14, no.4, 1962,
529-534

TEXT: The results are described of systematic investigations
in which the coercive force, the maximum permeability, the
remanence, the saturation magnetization and hardness, as well as the
quantity of residual austenite were measured for the tool steels
 $\times 6B\phi$ (Kh6VF), $\times 11C5\phi$ (KhGSVF), $\times 11X5$ (U11KhV) and

	Composition, %								
	C	Cr	Mn	W	V	Si	S	Ni	P
KhGSVF	0.95	0.77	0.89	0.85	0.15	0.79	-	-	-
U11KhV	1.05	0.40	-	0.84	-	-	-	-	-
Kh6VF	1.07	6.06	0.37	1.26	0.64	0.31	0.011	0.26	0.02

Card 1/3

Study of the possibility of ...

S/126/62/014/004/007/017
E073/E535

This was done for the purpose of determining the possibilities of utilising magnetic parameters for quality control of these steels in the annealed, quenched and tempered states. It was found that for the steel KhGSVF none of the measured magnetic characteristics changes sufficiently for the hardening temperature range 825-900°C and, therefore, this method cannot be used for controlling the quality of hardening of this steel. However, the permeability μ_{max} increases considerably with increasing tempering temperature from 100 to 225°C and, therefore, this parameter can be applied for controlling the quality of tempering. For the steel U11KhV the values of B_r and $4\pi I_s$ change by 10 to 35% when changing the hardening temperature, in the range 825-900°C, by 40°C and, consequently, these parameters can be applied for quality control of the hardening of this steel; the coercive force and the maximum permeability change by 25 to 40% on increasing the tempering temperature from 130 to 210°C and can thus be used for controlling the quality of this tempering. For the steel Kh6VF the values of μ_{max} , B_r and $4\pi I_s$ change by 70-90% as a result of increasing the hardening temperature from 950 to 1150°C, the

Card 2/3

Study of the possibility of ...

8/126/62/014/004/007/017
E073/E535

coercive force changes by 25-45% on increasing the tempering temperature from 150 to 500°C (for specimens quenched from a temperature below 950°C), $4\pi I$ changes by 40-70% on increasing the tempering temperature from 450 to 600°C (if hardening was from a temperature above 1000°C), the remanence and the maximum permeability change by 30-40% as a result of increasing the tempering temperature from 400 to 600°C (for specimens hardened from temperatures above 1000°C). Consequently, the enumerated characteristics can be utilised for controlling the quality of the heat treatment. The investigations also confirmed the possibility of using austenometers for controlling the quality of tempering of components made of the steels investigated. There are 4 figures and 2 tables.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy instrumental'nyy institut (All Union Tool Scientific Research Institute)

SUBMITTED: July 25, 1961 (initially)
November 27, 1961 (after revision)

Card 3/3

KUPALOVA, I.K.; LANDA, V.A.

Control of the heat treatment of parts made of high-speed steel
by a coercive-force meter of the UFAN system. Zav.lab. 28
no.11:1347-1349 '62. (MIRA 15:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy instrumental'nyy
institut.

(Steel--Heat treatment)

GULAYEV, A.P.; KUPALOVA, I.K.; LANDA, V.A.

METHODS FOR AND RESULTS OF THE PHASE ANALYSIS OF HIGH-SPEED STEELS. Zav.lab. 31 no.3t298-318 '65.

(PUB. NO.12)

L 21022-66 EWT(d)/EWT(n)/EWP(w)/EWA(d)/EWP(v)/T/EWP(t)/EWP(k)/EWP(h)/EWP(l)
IJP(c) JD/BW/JG

ACCESSION NR: AP5022582

UR/0129/65/000/009/0049/0053
669.14.018.25;669.25

30
21
B

AUTHOR: Kupalova, I. K.

TITLE: Effect of cobalt on the structure and properties of high-speed steel

SOURCE: Metallovedeniye i termicheskaya obrabotka metallov, no. 9, 1965, 49-53

TOPIC TAGS: cobalt, high speed steel, cobalt steel, phase composition, carbide phase, magnetic property, lattice parameter, hardness

ABSTRACT: Despite the numerous studies of high-speed cobalt steels many aspects of these steels still remain unclarified. To fill this gap, the author investigated the effect of cobalt on the phase composition, structure, and magnetic and physical properties of standard high-speed steels containing 5.5 to 9.7% Co, following their annealing, quenching from 1240°C and tempering at 500-700°C for 0.5-100 hr. Phase composition was determined by means of electrolysis, while the lattice parameters of the carbides and solid solution were determined by means of an URS-501 apparatus with a Geiger-Mueller counter (Fig. 1). It was found that in annealed steel only 3.5% of its cobalt content is present in the carbides.

Card 1/3

L 21022-66

ACCESSION NR: AP5022582

9

the remainder being present in the solid solution, and the cobalt hardly affects the distribution of W, V, and Cr between the carbides and the solid solution. In hardened steel the cobalt does not affect the amount of the carbide phase, the ratio between the phases MC and M₆C in the carbides, the composition of solid solution with respect to W, V, and Cr, the lattice parameters of the carbide MC, and hardness; on the other hand, Co increases the amount of residual austenite, electric resistivity, and coercive force, and reduces insignificantly the lattice parameters of the carbide M₆C and solid solution, maximum magnetic permeability, and residual magnetic induction. The hardness of steels with cobalt following tempering at 500-700°C is always higher than that of the cobalt-free high-speed steel R9. Cobalt and vanadium enhance the cutting properties of high-speed steels. A comparison of the structure and properties of the cobalt steels R9K5 and R9K10 and high-vanadium steels R9F5 and R10K5F5 with those of the cobalt-free steel R9, however, indicates that the mechanisms of action of Co and V differ (in V this is associated with an increase in C content). The enhancement of cutting properties and red hardness on increasing the V content (steel R9F5) may be attributed to the higher content of the high-disperse carbides MC, whereas the high cutting properties and red hardness of cobalt-containing high-speed steels are conditioned by the presence of cobalt in the solid solution and the change in the properties of this solution: the strengthening of interatomic bonds and

Card 2/3

L 21022-66

ACCESSION NR: AP5022582

the retardation of diffusion processes. Orig. art. has: 3 figures, 3 tables.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy instrumental'nyy institut
(All-Union Scientific Research Institute of Tools)

SUBMITTED: 00

ENCL: 00

SUB CODE: MM, SS

NO REF SOV: 009

OTHER: 000

0

Card 3/3 BK

KITALYAN, S. D., Engr.
Electrical engineer

Dissertation: "An Electromagnetic Field in the Presence of Conductors."
Cand Tech Sci, Moscow Electrical Engineering Inst of Communications, 1 Apr '54.
(Vechernaya Moskva Moscow, 18 Mar '54)

SO: SUM 213, 20 Sep 1954

KUPALYAN, S.D., kandidat tekhnicheskikh nauk.

Skin effect in a bus bar of rectangular cross section. Trudy MAI
no.66:55-61 '56. (MLRA 9:11)
(Electric bus bars)

PHASE I BOOK EXPLOITATION SOV/1175

Govorkov, Vladimir Aleksandrovich and Kupalyan, Stepan Davydovich

Teoriya elektromagnitnogo polya v uprazhneniyakh i zadachakh (Electromagnetic Field Theory in Exercises and Problems) Moscow, Izd-vo "Sovetskoye radio," 1957. 339 p. No. of copies printed not given.

Ed.: Masharova, V.G.; Tech. Ed.: Koruzev, N.N.

PURPOSE: This book is intended for students of vuzes studying the electromagnetic field theory and for specialists conducting calculations on electric and magnetic fields.

COVERAGE: The book comprises over 400 exercises, problems and tests on electromagnetic field theory at the level studied in radio engineering vuzes. The authors claim that some exercises are published for the first time, namely the exercises on: approximate calculation of fields, application of the relaxation method and the method of constructing the field pattern for calculating stationary and alternating fields. The authors have paid special attention to graphi-

Card 1/4

SOV/1175

Electromagnetic Field Theory (Cont.)

cal construction of electric and magnetic field patterns. Chapters 1 through 6 were written by S.D. Kupalyan, and Chapters 7 through 9 by V.A. Govorkov. The authors thank Docent M.R. Shebes for his help. There are 15 references, of which 9 are Soviet and 6 English.

TABLE OF CONTENTS:

Foreword	5
Lists of Symbols	7
Ch. 1. Vector Analysis	9
Ch. 2. Electrostatic Field	22
Ch. 3. Electric Field in a Conducting Medium	48
Ch. 4. Magnetic Field From Direct Currents	53
Card 2/4	

Electromagnetic Field Theory (Cont.)	SOV/1175
Ch. 5. Electromagnetic Waves in a Dielectric	76
Ch. 6. Electromagnetic Waves in a Conducting Medium	93
Ch. 7. Directional Electromagnetic Waves	106
1. Reflection of electromagnetic waves from a conducting surface	106
2. Electromagnetic waves between parallel conducting surfaces ($y=0$ and $y=b$)	111
3. Electromagnetic waves in a rectangular waveguide with cross-section ab	136
4. Electromagnetic waves in a parallelepiped cavity resonator with edges d,a,b	157
5. Electromagnetic waves in a cylindrical waveguide	169
Ch. 8. Special Methods of Calculating Electric and Magnetic Fields	180
1. Principle of super position	180
2. Image method	215
3. Method of average potentials	229
4. Method of conformal mapping	234

Card 3/4

Electromagnetic Field Theory (Cont.)

SOV/1175

Ch. 9. Approximate Calculation of Electric and Magnetic Fields	251
1. Graphical construction of field pattern	251
2. Relaxation method (finite differences) applied to stationary and quasi-stationary fields	259
3. Relaxation method applied to alternating electromagnetic fields in a conducting medium	275
4. Relaxation method applied to alternating electromagnetic fields in an ideal dielectric	287
5. Determination of critical wave-length in waveguides and cavity resonators by the relaxation method	292
6. Application of the expected stream-path method	307
Answers	314
Appendixes	338
Bibliography	340

AVAILABLE: Library of Congress

JP/sfm
2-24-59

Card 4/4

KUPALYAN, S. D.

PHASE I BOOK EXPLOITATION SOV/3622

Moscow. Aviationsionnyy institut imeni Sergo Ordzhonikidze. Kafedra teoreticheskoy elekrotekhniki

Sbornik zadach po teoreticheskim osnovam elekrotekhniki (Collection of Problems on Theoretical Fundamentals of Electrical Engineering) Moscow, Oborongiz, 1959. 124 p. 14,000 copies printed. Errata slip inserted.

Additional Sponsoring Agency: RSFSR. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya.

Ed. V.N. Istratov, Candidate of Technical Sciences, and S.D. Kupalyan, Candidate of Technical Sciences; Managing Ed.: A.S. Zaymovskaya, Engineer; Ed. of Publishing House: S.D. Antonova; Tech. Ed.: I.M. Zudakin.

PURPOSE: This collection of problems is intended for students in electromechanical, electrical engineering, and radio engineering departments of schools of higher technical education. It may also be used by technical personnel who desire to improve their

Card 1/4

Collection of Problems (Cont.)

SOV/3622

technical qualifications in the field of calculating electric circuits.

COVERAGE: This collection contains several problems related to basic subjects of the theory of circuits according to the program of the course on theoretical principles of electrical engineering. Some typical problems with detailed solutions are given. Conventional symbols and terminology used in the book comply with those adopted in two books by G.I. Atabekov: "Garmonicheskiy analiz i operatornyy metod" (Harmonic Analysis and Operational Method), Oborongiz, 1956; and "Lineynyye elektricheskiye tsepi" (Linear Electrical Circuits), Oborongiz, 1957. Chapters 1 and 2 were prepared by N.V. Uspenskaya; chapter 3 by V.N. Istratov; chapters 4 and 7 by S.N. Dmitriyev; chapter 5 by M.G. Surov; chapter 6 and the Appendix by O.M. Bogatyrev; chapter 8 by S.D. Kupalyan; chapter 9 by A.V. Kamenskiy; chapter 10 by A.B. Timofeyev; and chapter 11 by S.S. Khukhrikov. The authors thank Professor G.I. Atabekov for his help. There are no references.

Card 2/4

NEYMAN, Leonid Robertovich; DEMIRCHYAN, Kamo Seropovich; POLIVANOV, K.M.,
prof., retsenzent; FRADKIN, B.M., dots., retsenzent; KUPAIYAN,
S.D., dots., retsenzent; PERKOVSKAYA, G.Ye., red.; MURASHOVA,
V.A., tekhn. red.

[Laboratory manual on electromagnetic fields] Rukovodstvo k la-
boratoriï elektromagnitnogo polia. Moskva, Gos. izd-vo "Vysshiaia
shkola," 1961. 219 p.
(MIRA 15:4)

(Electric engineering--Handbooks, manuals, etc.)
(Electric fields) (Magnetic fields)

KUPALYAN, Stepan Davidovich; LOMONOSOV, V.Yu., prof., retsenzant;
STOLOV, L.I., dots., retsenzent; ATABEKOV, G.I., red.;
BYCHKOV, D.V., dots., red.; FRIDKIN, L.M., tekhn. red.

[Theoretical principles of electrical engineering in three parts] Teoreticheskie osnovy elektrotekhniki [v trekh chastiakh]. Moskva, Gosenergoizdat. Pt.3. [Electromagnetic field] Elektromagnitnoe pole. 1963. 110 p.

(MIRA 16:12)

(Electric engineering) (Electromagnetic fields)

GOVORKOV, Vladimir Aleksandrovich; KUPALYAN, Stepan Davidovich;
PERKOVSKAYA, G.Ye., red.; GOROKHOVA, S.S., tekhn. red.

[Electromagnetic field theory in exercises and problems]
Teoriia elektromagnitnogo polia v uprazhneniakh i zada-
chakh. Izd.2., perer. i dop. Moskva, Vysshiaia shkola,
(MIRA 17:4)
1963. 370 p.

KUPAN, S.

Short summary of results of new experiments in Rumania related to production of aluminum. p. 515.

Vol 10, no. 12, Dec. 1955. KOMASZATI LAPOK. Budapest, Hungary.

So: - Eastern European Accession. Vol 5, no. 4, April 1956

3(5) KUPARADZE, D.I.
PHASE I BOOK EXPLOITATION

SOV/2505

Akademiya nauk Gruzinskoy SSR. Sovet po izucheniyu proizvoditel'nykh sil

Prirodnyye resursy Gruzinskoy SSR. t. 2: Nemetallichеские полезные ископаемые (Natural Resources of the Georgian Soviet Socialist Republic. v. 2: Nonmetallic Mineral Deposits) Moscow, Izd-vo AN SSSR, 1959. 379 p. Errata slip inserted. 5,500 copies printed.

Ed.: F.N. Tavadze, Corresponding Member, Gruzinskoy SSR Academy of Sciences; Ed. of Publishing House: K.M. Feodot'yev; Tech. Ed.: A.P. Guseva; Editorial Board: R.I. Agladze, Sh. R. Archvadze, N.D. Vachnadze, G.G. Gvelesiani, B.I. Gudzhedzhiani, A.I. Dzhanelidze, G.S. Dzotsenidze, S.V. Durmishidze, N.N. Ketskhoveli, I.S. Mikeladze, M.M. Rubinshteyn, A.A. Tvalchrelidze (Deceased), G.V. Tsitsishvili, and P.G. Shengeliya.

PURPOSE: This book is intended for economic geologists and mineralogists.

COVERAGE: This collection of articles describes the nonmetallic mineral deposits of the Gruzinskaya SSR and the extent to which they

Card 1/13

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

have been exploited. Individual articles discuss the importance of barite, diatomite, talc, andesite, and other minerals to the chemical industry; of barite, gumbrine, and bentonitic clays to the petroleum industry; and of marble, slate, and limestones to the construction industry. A map depicting the major nonmetallic mineral deposits is included with the work. No personalities are mentioned. References accompany each article.

TABLE OF CONTENTS:

Introduction

Andesites. Tvalchrelidze, A.A. 5

Andesites of Georgia 5

 1. Kazbegskiy region deposits 5
 2. Borzhomsko-Bakurianskiy region deposits 9
 3. Southern Osetiya deposits 11

Asphalt and Asphaltite. Magulariya, T.A., and A.N. Ter'yan 14

Deposits in Georgia 14

Card 2/ 13

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

1. Natanebskoye deposit	14
2. El'darskaya and Shirakskaya steppe deposits	16
3. Deposits in other regions	18
 Basalt. Tvalchrelidze, A.A.	 20
Basalts of Georgia	23
Barite. Kuparadze, D.I.	32
 Deposits of Georgia	
Barite deposits of the Rioni and Tskhenis-Tskhali river basins (Kutaisi group of deposits)	32
Description of the Kutaisi group deposits	34
Barite deposits of the Dzhodzhora river basin (Deposits of the Upper Racha and Southern Osetiya)	38
Barite deposits of the Inguri river basin (Deposits of Svane- tiya and Megreliya)	44
Barite deposits of the Mokva, Kodora, Atsa (Baklanovka) and Bzybi river basins (Abkhazskaya group of deposits)	46

Card 3/13

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

Barite deposits of the Mashavera river basin (Bolnisskaya group of deposits)	46
Other barite deposits	54
Jet. Tvalchrelidze, A.A.	59
Jet of Georgia	60
Gypsum. Sanadze, I.A., and R.G. Dzhavakhishvili	61
Gypsum deposits of Georgia	
Gypsum deposits of western Georgia	62
Gypsum deposits in the Akhaltsikhskaya depression	64
Other gypsum deposits	66
Clayey Gypsum. Sanadze, I.A., and Dzhavakhishvili R.G.	68
Deposits of clayey gypsum in Georgia	70
Tbilisi region deposits	70
Western Georgia deposits	72
Clayey gypsum deposits in Kakhetiya	72
Other clayey gypsum deposits	73
Glauconite. Dzhamasipishvili, S.I.	76

Card 4/ 13

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

Glaucosite of Georgia	77
Bentonitic Clays. Tvalchrelidze, A.A., S.S. Filatov, and M.L.V.	
Rokva	79
Bentonitic clay deposits in Georgia	81
Gumbri deposits	81
Askanskaya group deposits	84
Other deposits of bentonitic clay in Georgia	88
Brick and Tile Clays. Gorbunov, S.S.	
Deposits of brick and tile clays in Georgia	101
Clay deposits around Tbilisi	101
Clay deposits of Kakhetiya	104
Clay deposits of central Georgia	105
Clay deposits of western Georgia	105
Clay deposits of Adzhariya	107
Clay deposits of Abkhaziya	108
Appendices	110
Refractory Clays. Rokva, M.L.	127
Card 5/ 13	8

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

Refractory clay deposits of Georgia	128
Shroshinskoye deposit of refractory clays	129
Refractory clay deposit of the Kutaisskiy region	131
Kolkhidskaya lowland deposits	134
Refractory clays in the central region of Georgia	138
Other deposits of refractory clays in Georgia	140
Graphite. Gorbunov, S.S.	143
Graphite of Georgia	144
Diatomite. Vachnadze, N.D.	146
Diatomite deposits of Georgia	147
Dolomite. Rokva, M.L.	153
Dolomite deposits of Georgia	153
Abonoyskoye dolomite deposit	153
Other dolomite deposits	155
Limestone. Guntsadze, V.K., and A.N. Ter'yan	163
Limestone deposits of Georgia	163
Limestone as raw material for cement production	163
Limestone as raw material for lime production	169

Card 6/ 13

Natural Resources of the Georgian Soviet (Cont.)	SOV/2505
Limestone deposits of eastern Georgia	169
Limestone deposits of western Georgia	171
Fluxing limestones	175
Industrial Stones. Gorbunov, S.S.	179
Agate	179
Akhaltcikhskii agates	179
Other manifestations of agates	182
Rock Crystal	182
Jaspers	188
Obsidian	188
Alabaster	188
Opals and semi-opals	187
Other semi-precious stones	187
Rock for Construction. Vachnadze, N.D.	186
Deposits of Georgia	196
Deposits of eastern Georgia	196
Deposits of central Georgia	196

Card 7/ 13

Natural Resources of the Georgian Soviet (Cont.)	SOV/2505
Deposits of western Georgia	196
Grinding and Millstones. Vachnadze, N.D.	207
Deposits of Georgia	210
Kaolin. Rokva, M.L.	210
Deposits of Georgia	210
Makvanetskoye kaolin deposit	210
Uchkhubskoye deposit	212
Gogolaurskoye deposit	212
Group of kaolinicclay deposits in the Tkibul'skiy, Kutaisskiy, and Dzirul'skiy regions	213
Deposits of southern Osetiya	221
Deposits of the Bolnisskiy region	222
Other deposits of kaolinic clays in Georgia	224
Quartz. Kazakhashvili, T.G.	227
Quartz in Georgia	227
Quartz deposits of the Dzirul'skiy massif	227
Other quartz deposits in Georgia	231
Quartz Sand. Kheladze, M.I.	232

Card 8/ 13

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

Deposits in Georgia	232
Sachkere-Chiaturskaya group	233
Kharagaul'skaya group	240
Suramskaya group	241
Avchal'skoye deposit	241
Kutaisi-Tkibuli group	243
Quartzites. Kazakhashvili, T.G.	247
Quartzites of Georgia	247
Deposits in the southern periphery of the Dzirul'skiy crystal-line massif	248
Bolnisskaya group of deposits	249
Kazbegskiy region deposits	250
Gornaya Kakhetiya deposits	250
Deposits of Svanetiya	251
Roofing Slates. Vachnadze, N.D.	253
Deposits of roofing slates in Georgia	254
Kakhetiya deposits	254
Other deposits of roofing slates in Georgia	255

Card 9/13

Natural Resources of the Georgian Soviet (Cont.)	SCV/2505
Lateites. Gorbunov, S.S.	
Laterites -- the terra rossa of Georgia	259 259
Lithographic stone. Nemsadze, A.O.	
Deposits of Georgia	267
Algetskoye deposit	267
Other deposits	267 267
Chalk. Rabinovich, I.N.	
Chalks of Georgia	269 270
Marls. Sanadze I.A.	
Marls of Georgia	271
Western Georgia deposits	271
Eastern Georgia deposits	271 280
Mineral Pigments. Vachnadze, N.D., and A. N. Ter'yan	
Ocher and crocus deposits in Georgia	284
Iron minium deposits in Georgia	284 290
Marble. Nemsadze, A.M.	
Card 10/13	295

Natural Resources of the Georgian Soviet (Cont.) SOV/2505

Georgia deposits	296
Paleozoic deposits	297
Mesozoic deposits	300
Lower Cretaceous deposits	304
Upper Cretaceous deposits	306
Other deposits	308
Ozocerite. Mshvelidze, N.N.	
Ozocerite in Georgia	312
Ozocerite in Georgia	312
Pegmatites. Gvakhariya, G.V., and Ye. K. Vezirishvili	
Pegmatites of Georgia	316
Pegmatites of the Dzirul'skiy massif	316
Pegmatites of Vakidzhvari	316
Sodium Chloride. Vachnadze, N.D.	325
Deposits of sodium chloride in Georgia	325
Sulfur. Guntsadze, V.K., and A.N. Ter'yan	
Sulfur in Georgia	328
Sulfur in Georgia	328

Card 11/13

Natural Resources of the Georgian Soviet (Cont.)	SOV/2505
Pyrites. Guntsadze, V.K.	
Deposits in Georgia	330
	331
Serpentinite. Chikhelidze, S.S.	
Serpentinites of Georgia	334
Serpentinites of Kodorskiyy massif	335
Serpentinites of Dzirul'skiy massif	335
	336
Sodium Sulfate. Dolaberidze, L.D., and A.N. Ter'yan	
Deposits in Georgia	342
	342
Talcum. Chikhelidze, S.S.	
Deposits in Georgia	348
Deposits genetically related to large serpentinite bodies	348
Deposits in contact with small serpentinite bodies	350
	356
Phospherites and Apatite. Gvakhariya, G.V.	
Deposits in Georgia	361
	361
Chalcedony and spongiolite . Guntsadze, V.K.	
	368

Card 12/13

Natural Resources of the Georgian Soviet (Cont.) SOV/2505
Chalcedony and spongiolite in Georgia 368
Other Minerals 375
AVAILABLE: Library of Congress
Card 13/13 MM/bg
10-15-59

FOKIN, A.M.; KUPARADZE, D.I.

Conditions governing the formation of secondary dispersion
halos and stray fluxes as revealed by the study of the
Dzamskoye iron ore deposit. Geol. sbor. [Kavk.] no.2:181-186
'62. (MIRA 17:1)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6

GUDIASHVILI, R.N.; KUPARADZE, D.I.

Primary dispersion halos of some hydrothermal deposite in
Georgia. Geol. sbor. [Kavk.] no.2:167-180 '62.
(MIRA 17:1)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6"

KUPARADZE, G.D.

KUPARADZE, G. D., Cand Med Sci -- (diss) "Data for the problem of the functional state of the cardio-vascular system in exudative pleuritis of tuberculosis etiology." Tbilisi, 1958. 25 pp (Tbilisi State Med Inst). 200 copies (KL, 20-58,101)

KUPARADZE, G.N.

Results of the use of a polyethylene hemostatic balloon and primary blind suture of the bladder in transvesical suprapubic adenomectomy. Urologia no.4:57-59 '64. (MIRA 19:1)

1. Institut urologii (dir. - akademik AN Gruzinskoy chlen-korrespondent AMN SSSR prof. A.P. TSulukidze) AMN SSSR, Tbilisi.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6

KUPRADZE, G.N.

Effect of the ligature of both pelvic arteries on the wall
structure of urinary bladder and rectum. Soob. AN Gruz. SSR
33 no. 3:707-713 Mr '64 (MIRA 17:8)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927530009-6"

KANDEL', E.I.; KUTARADZE, G.R.; KUKIN, A.V.

Method for local destruction of subcortical formations of the
brain by freezing with liquid nitrogen. Fiziol. zhur. 49 no.11:
1378-1380 N '63. (MIRA 17:8)

1. Nauchno-issledovatel'skiy institut neyrokhirurgii imeni
akademika N.N. Burdenko, AMN SSSR, Moskva.